



Appendix A
Supporting Data
2010 PLOO Stations
Oceanographic Conditions



Appendix A.1

Density recorded in 2010 for the PLOO region during March. Data were collected over four days; see Table 2.1 and text for specific sample dates and stations sampled each day.

This page intentionally left blank




Appendix A.2

Concentrations of dissolved oxygen recorded in 2010 for the PLOO region. Data are collected over four days during each of these quarterly surveys; see Table 2.1 and text for specific sample dates and stations sampled each day.

This page intentionally left blank


This page intentionally left blank



Appendix A.4

Transmissivity recorded in 2010 for the PLOO region. Data are collected over four days during each of these quarterly surveys; see Table 2.1 and text for specific sample dates and stations sampled each day.


This page intentionally left blank



Appendix A.5

Vertical profiles of transmissivity for PLOO stations F27–F33 during each 2010 quarterly survey.


This page intentionally left blank



Appendix A.6

Concentrations of chlorophyll *a* recorded in 2010 for the PLOO region. Data are collected over four days during each of these quarterly surveys; see Table 2.1 and text for specific sample dates and stations sampled each day.


This page intentionally left blank



Appendix A.7

Vertical profiles of chlorophyll a for PLOO stations F27–F33 during each 2010 quarterly survey.

This page intentionally left blank



Appendix A.8

Empirical Orthogonal Function 2 (EOF) for (A) winter, (B) spring, (C) summer, and (D) fall in 2010. Percentages indicate fraction of the total variance accounted for by the EOF. Arrow length indicates relative current magnitude.

This page intentionally left blank